

Notice of Allowability

Application No.

10/802,506

Examiner

KARL J. PUTTLITZ

Applicant(s)

BHASKARAN ET AL.

Art Unit

1621

- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to interview and examiner's amendment of 9/17/2008.
2. ☒ The allowed claim(s) is/are 4,5,7-11,21,23 and 25.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date 3/17/2004
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☒ Interview Summary (PTO-413),
Paper No./Mail Date attached.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Gwen Blackwell on 9/17/2008.

Claim 4, after "the acetic acid reaction stream and the purification section for purifying vinyl acetate" insert ", wherein the steam condensate stream comprising the heat from the production of the acetic acid is transferred into a low pressure flash vessel maintained at a pressure of about 4.0 kg/cm² to about 5.3 kg/cm²;

Claim 5, delete "steam condensate stream is directed to a";

Claim 5, after "flash vessel" insert "is";

Claim 21, after "between a hot reactor solution stream and a steam condensate stream" insert ", wherein the steam condensate stream comprising the heat from the production of the acetic acid is transferred into a low pressure flash vessel maintained at a pressure of about 4.0 kg/cm² to about 5.3 kg/cm²;

Claim 23, delete "steam condensate stream is directed to a";

Cancel claims 6, 22 and 24.

The following is an examiner's statement of reasons for allowance:

The claims have been amended to require that the steam condensate stream comprising the heat from the production of the acetic acid is transferred into a low

pressure flash vessel maintained at a pressure of about 4.0 kg/cm^2 to about 5.3 kg/cm^2 . This limitation is not taught by the applied references. Moreover, the applied references fail to provide a basis to modify their disclosure to include a step of wherein the steam condensate stream comprising the heat from the production of the acetic acid is transferred into a low pressure flash vessel maintained at a pressure of about 4.0 kg/cm^2 to about 5.3 kg/cm^2 .

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Karl J. Puttlitz whose telephone number is (571) 272-0645. The examiner can normally be reached on Monday to Friday from 9 a.m. to 5 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel Sullivan, can be reached at telephone number (571) 272-0779. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Karl J. Puttlitz/

Primary Examiner, Art Unit 1621